



036

mim

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Thomas F. Neal :
Serial No.: 10/091,834 : Group Art Unit: 1723
Filed: 3/5/2002 :

Title: VERSATILE, MODULAR, MULTI-STAGE WATER PURIFICATION SYSTEM

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Box Missing Parts
Commissioner for Patents and Trademarks
Washington, D.C. 20231

Sir:

In response to the Notice to File Corrected Application Papers dated July 3, 2002,
applicant encloses the following documents to complete the above-identified patent application:

1. Copy of Notice to File Corrected Application Papers;
2. Eight (8) sheets of formal drawings; and
3. a postage-paid, return receipt postcard.

The Commissioner is authorized to charge payment of any additional fees associated with
this paper or credit any overpayment to Deposit Account No. 070135.

GALLAGHER & KENNEDY, P.A.

Dated: 8/19/02

By: [Signature]

Thomas D. MacBlain, Reg. No. 24,583
Attorneys for Applicant
Gallagher & Kennedy, P.A.
2575 East Camelback Road
Phoenix, AZ 85016-9225
(602) 530-8088
tdm@gknet.com




UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/091,834	03/05/2002	Thomas F. Neal	11537-0004US

28529
GALLAGHER & KENNEDY, P. A.
2575 E. CAMELBACK RD. #1100
PHOENIX, AZ 85016



CONFIRMATION NO. 8566

FORMALITIES LETTER



OC00000008395314

Date Mailed: 07/03/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - The drawings must be made on paper that has a white background, (see 37 CFR 1.84(e)). For example. Graph paper, lined paper, or paper that has a non-white background is not acceptable

A copy of this notice MUST be returned with the reply.

OIPE

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Thomas F. Neal

:

Serial No.: 10/091,834

:

Group Art Unit: 1723

:

Filed: March 5, 2002

:

:

Title: VERSATILE, MODULAR, MULTI-STAGE WATER PURIFICATION SYSTEM

Commissioner for Patents
Washington, D.C. 20231

CERTIFICATE OF MAILING BY EXPRESS MAIL
"Express Mail" mailing label number EL919123125US

Sir:

I hereby certify that the following correspondence is being deposited in the United States Postal Service as Express Mail:

1. Copy of Notice to File Corrected Application Papers;
2. Eight (8) sheets of formal drawings; and
3. a postage-paid, return-receipt postcard,

in an envelope addressed to:

Box Missing Parts
Commissioner for Patents
Washington, D.C.

on:

Date:

8/19/02

Suzanne Shields
Suzanne Shields

GALLAGHER & KENNEDY, P.A.
Attorneys at Law
2575 East Camelback Road
Phoenix, AZ 80516-9225
Tel. No. (602) 530-8000
Fax No. (602) 530-8500